



















































































































































































## REFERENCES

- Abeywardena MY, McLennan PL, Charnock JS. Increase in myocardial PGI/TXA balance following long-term palm oil feeding in the rat. *J Mol Cell Cardiol.* 1987; 21 (Suppl 11): S99-S100.
- Abeywardena MY, McLennan PL, Charnock JS. Changes in myocardial eicosanoid production following long-term dietary lipid supplementation in rats. *Am J Clin Nutr.* 1991;53 (Suppl 4): 1039S-1041S.
- Abeywardena MY and Charnock JS. Dietary lipid modification of myocardial eicosanoids following ischaemia and reperfusion in the rat. *Lipids.* 1995; 30(12): 1151-1156.
- Abeywardena MY, Head RJ, Gapor A. Modulation of vascular endothelial cell function by palm oil antioxidants. *Asia Pacific J Clin Nutr.* 1997; 6: 68-71.
- Adams J and Cory S. The Bcl-2 protein family: arbiters of cell survival. *Science.* 1998; 281: 1322-1326.
- Ahrens EH, Hirsch J, Insull W Jr, Tsaltas TT, Blomstrand R, Peterson ML. The influence of dietary fats on serum lipid levels in man. *Lancet.* 1957; 1: 943-53.
- Alessi DR, Anjelkovic M, Caudwell FB, Cron P, Morrice N, Cohen P, Hemmings BA. Mechanism of activation of protein kinase B by insulin and IGF-1. *EMBO J.* 1996; 15(23): 6541-6551.
- Alessi DR, Deak M, Cassamayor A, Caudwell FB, Morrice N, Norman DG, Gaffney P, Reese CB, MacDougall CN, Harbison D, Ashworth A, Bownes M. 3-Phosphoinositide-dependent protein kinase-1 (PDK-1): structural and functional homology with the *Drosophila* DSTPK61 kinase. *Curr Biol.* 1997; 7(10): 776-789.
- Aman MJ, Lamkin TD, Okada H, Kurosaki T, Ravichandran KS. The inositol phosphatase SHIP inhibits Akt/PKB activation in B cells. *J Biol Chem.* 1998; 273: 3392-33928.

Anderson KE, Coadwell J, Stephens LR, Hawkins PT. Translocation of PDK-1 to the plasma membrane is important in allowing PDK-1 to activate protein kinase B. *Curr Biol*. 1998; 8: 684-91.

Andjelkovic M, Jakubowicz T, Cron P, Ming XF, Han JW, Hemmings BA. Activation and phosphorylation of a pleckstrin homology domain containing protein kinase (RAC-PK/PKB) promoted by serum and protein phosphatase inhibitors. *Proc Natl Acad Sci USA*. 1996; 93: 5699-5704.

Arab L, Steck S. Lycopene and cardiovascular disease. *Am J Clin Nutr*. 2000; 71: 1691S-1697S.

Ashkenazi A and Dixit VM. Death receptors: signaling and modulation. *Science*. 1998; 281: 1305-1308.

Astley SB, Hughes DA, Wright AJ, Elliott RM, Southon S. DNA damage and susceptibility to oxidative damage in lymphocytes: effects of carotenoids in vitro and in vivo. *Br J Nutr*. 2004; 91: 53-61.

Aykroyd WR and Wright RE. Red palm oil in the treatment of human keratonmalacia. *Indian J Med Res*. 1937; 26: 7-10.

Azzi A, Ricciarelli R, Zing GJM. Non-antioxidant molecular functions of  $\alpha$ -tocopherol (vitamin E). *FEBS Lett*. 2002; 519: 8-10.

Bagchi K and Puri S. Free radicals and antioxidants in health and disease. *EMHJ*. 1998; 4(2): 350-360.

Banhegyi G. Lycopene – a natural antioxidant. *Orv Hetil*. 2005; 146(31): 1621-4.

Barthel A and Klotz, LO. Phosphoinositide 3-kinase signaling in the cellular response to oxidative stress. *Biol Chem*. 2005; 386: 207-216.

Baskin SI, Salem H. Oxidants, antioxidants and free radicals. *Crc Press Llc*; 1 edition. 1997.

Baudet MF, Dachet C, Lasserre M, Esteva O, Jacotot B. Modification in the composition and metabolic properties of human low density and high density lipoproteins by different fats. *J Lipid Res*. 1984; 25: 456-68.

Belch JJ, Bridges AB, Scott N, Chopra M. Oxygen free radicals and congestive heart failure. *Br Heart J.* 1991; 65: 245-248.

Bellacosa A, Testa JR, Staal SP, Tsichlis PN. A retroviral oncogene, akt, encoding a serine-threonine kinase containing an SH2-like region. *Science.* 1991; 254(5029): 274-277.

Berry EM, Eisenberg S, Haratz D, Friedlander Y, Norman Y, Kaufman NA, Stein Y. Effects of diets rich in monounsaturated fatty acids on plasma lipoproteins - the Jerusalem Nutrition Study: high MUFAs vs high PUFAs. *Am J Clin Nutr.* 1991; 53: 899-907.

Bester DJ, van Rooyen J, du Toit EF, Esterhuyse AJ. Red Palm Oil protects against the consequences of oxidative stress when supplemented with dislipidaemic diets. *Medical Technology SA.* 2006; 20(1): 3-10.

Biggs W, Meisenhelder J, Hunter T, Cavence WK, Arden KC. Protein kinaseB/Akt-mediated phosphorylation promotes nuclear exclusion of the winged helix transcription factor FKHR1. *Proc Natl Acad Sci USA.* 1999; 96: 7421-7426.

Boateng J, Verghese M, Chawan CB, Shackelford L, Walker LT, Khatiwada J, Williams DS. Red palm oil suppresses the formation of azoxymethane (AOM) induced aberrant crypt foci (ACF) in Fisher 344 male rats. *Food and Chemical Toxicology.* 2006; 44: 1667-1673.

Böhm F, Edge R, Burke M, Truscott TG. Dietary uptake of lycopene protects human cells from singlet oxygen and nitrogen dioxide - ROS components from cigarette smoke. *J Photochem Photobiol B Biol.* 2001; 64: 176-178.

Bolli R. Oxygen-derived free radicals and myocardial reperfusion injury: an overview. *Cardiovascular Drug Ther.* 1991; 5 (Suppl 2): 249-68.

Bonanome A and Grundy SM. Effect of dietary stearic acid on plasma cholesterol and lipoprotein levels. *N Engl J Med.* 1988; 319: 1244-8.

Bradford MM. A rapid and sensitive method for quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem.* 1976; 71: 248-54.

Brar BK, Stephanou A, Knight R, Latchman DS. Activation of protein kinase B/Akt by urocortin is essential for its ability to protect cardiac cells against hypoxia/reoxygenation-induced cell death. *J Mol Cell Cardiol.* 2002; 34: 483-492.

Brett D, Howling D, Morris LJ, James AT. Specificity of the fatty acids desaturases. The conversion of saturated to monoenoic acids. *Arch Biochem Biophys.* 1971; 143: 535-47.

Brunet A, Bonnie A, Zigmund MJ, Lin MZ, Juo P, Hu LS, Anderson MJ, Arden KC, Blenis J, Greenberg ME. Akt promotes cell survival by phosphorylating and inhibiting a forkhead transcription factor. *Cell.* 1999; 96: 857-868.

Bruno S, Lassota P, Giaretti W, Darzynkiewics Z. Apoptosis of rat thymocytes induced by prednisolone, captothecin or teniposide is selective to G0 cells and is prevented by inhibitors of proteases. *Oncology Res.* 1992; 4:29-35.

Burgering BM, Coffey PJ. Protein kinase B (c-Akt) in phosphatidylinositol-3-OH kinase signal transduction. *Nature.* 1995; 376(6541): 553-554.

Burton GW, Ingold KU. Auto-oxidation of biological molecules. The antioxidant activity of vitamin E and related chain-breaking phenolic antioxidants *in vitro*. *J Am Chem Soc.* 1981; 103: 6472-6477.

Cai H, Harrison DG. Endothelial dysfunction in cardiovascular diseases: the role of oxidant stress. *Circ Res.* 2000; 87(10): 840-4.

Canfield LM, Kaminsky RG, Taren DL, Shaw E, Sander JK. Red palm oil in the maternal diet increases provitamin A carotenoids in breastmilk and serum of the mother-infant dyad. *Eur J Nutr.* 2001; 40(1): 30-8.

Cardone MH, Salvesen GS, Widmann C, Johnson G, Frisch SM. The regulation of anoikis: MEKK-1 activation requires cleavage by caspases. *Cell.* 1997; 90: 315-323.

Cardone MH, Roy N, Stennicke HR, Salvesen GS, Franke TF, Stanbridge E, Fresch S, Reed JC. Regulation of cell death protease caspase-9 by phosphorylation. *Science.* 1998; 282: 1318-1321.

Chan JM, Gann PH, Giovannucci EL. Role of diet in prostate cancer development and progression. *J Clin Oncol.* 2005; 23: 8152-8160.

Chandrasekharan N. Changing concepts in lipid nutrition in health and disease. *Med J Malaysia.* 1999; Sep: 54 (3): 408-27.

Charnock JS, Sundram K, Abeywardena MY, McLennan PL, Tan DT. Dietary fats and oils in cardiac arrhythmia in rats. *Am J Clin Nutr.* 1991; 53 (Suppl 4): 1047S-1049S.

Chen D, Fucini RV, Olson AL, Hemmings BA, Pessin JE. Osmotic shock inhibits insulin signaling by maintaining Akt/protein kinase B in an inactive dephosphorylated state. *Mol Cell Biol.* 1999; 7: 4684-4694.

Chinnaiyan AM, O'Rourke K, Yu GL, Lyons RH, Garg M, Duan DR, Xing L, Gentz R, Ni J, Dixit VM. Signal transduction by DR3, a death domain-containing receptor related to TNFR-1 and CD95. *Science.* 1996; 274: 990-992.

Choo YM, Yap SC, Ooi CK, Ong ASH, Goh SH. Production of palm oil carotenoid concentrate and its potential application in nutrition. In: Ong ASH, Packer L, eds. *Lipid-soluble antioxidants: Biochemistry and clinical applications.* Basel, Switzerland: Birkhauser. 1992: 243-52.

Choo YM. Carotenoids from palm oil. *Palm Oil Dev.* 1995; 22: 1-6

Choudhury N, Tan L, Truswell AS. Comparison of palm olein and olive oil: effects on plasma lipids and vitamin E in young adults. *Am J Clin Nutr.* 1995; 61: 1043-51.

Clandinin MT, Cheema S, Field CJ, Garg ML, Venkatraman J, Clandinin TR. Dietary fat: exogenous determination of membrane structure and cell function. *FASEB.* 1991; 13: 2761-9.

Collins JK, Arjmandi BH, Claypool PL, Perkins-Veazie P, Baker RA, Clevidence BA. Lycopene from two food sources does not affect antioxidant or cholesterol status of middle-aged adults. *Nutr J.* 2004; 3: 15.

Cross DAE, Alessi DR, Cohen P, Andjelkovich M, Hemmings BA. Inhibition of glycogen synthase kinase-3 by insulin mediated by protein kinase B. *Nature*. 1995; 378; 785.

Cryns V, Yuan J. Proteases to die for. *Genes Dev*. 1998; 12: 1551-1570.

Datta SR, Dudeck H, Tao X, Masters S, Fu H, Goto Y, Greenberg ME. Akt phosphorylation of BAD couples survival signals to the cell-intrinsic death machinery. *Cell*. 1997; 91: 231-241.

Del Peso L, Gonzales-Garcia M, Page C, Herrera R, Nunez G. Interleukin-3-induced phosphorylation of BAD through the protein kinase Akt. *Science*. 1997; 278: 687-689.

De Lorgeril M, Salen P, Martin JL, Monjaud I, Delaye J, Mamelle N. Mediterranean diet, traditional risk factors, and the rate of cardiovascular complications after myocardial infarction: final report of the Lyon Diet Heart Study. *Circulation*. 1999; 99(6): 779-85.

Denke MA, Grundy SM. Comparison of effects of lauric acid and palmitic acid on plasma lipids and lipoproteins. *Am J Clin Nutr*. 1992; 56: 895-8.

Diniz YS, Cicogna AC, Padovani CR, Santana LS, Faine LA, Novelli ELB. Diets rich in saturated and polyunsaturated fatty acids : Metabolic shifting and cardiac health. *Nutr*. 2004; 20: 230-234.

Di Mascio P, Kaiser S, Sies H. Lycopene as the most efficient biological carotenoid singlet oxygen quencher. *Arch Biochem Biophys*. 1989; 274: 532-538.

Downward J. Mechanisms and consequences of activation of protein kinase B/Akt. *Curr Opin Cell Biol*. 1998; 10: 262-267.

Downward J. PI 3-kinase, Akt and cell survival. *Semin Cell Dev Biol*. 2004; 15: 177-182.

Droge W. Free redicals in the physiological control of cell function. *Physiol Rev*. 2002; 82: 47-95.

Du Toit EF, Meiring J, Opie LH. Relation of cyclic nucleotide ratios to ischaemic and reperfusion injury in nitric oxide-donor treated hearts. *J Cardiovasc Pharmacol.* 2001; 38: 529-538.

Dwivedi C, Muller LA, Goetz-Parten DE, Kasperson K, Mistry VV. Chemoprotective effects of dietary mustard oil on colon tumour development. *Cancer Lett.* 2003; 196 (1): 29-34.

Earnshaw WC. Apoptosis: lessons from in vitro systems. *Trend Cell Biol.* 1995; 5: 217-220.

Edem DO. Palm oil: biochemical, physiological, nutritional, hematological, and toxicological aspects: a review. *Plant Foods Hum Nutr.* 2002 Fall; 57 (3-4): 319-41.

Elovson J. Immediate fate of albumin bound (U-<sup>14</sup>C)stearic acid following its intraportal injection into carbohydrate refeed rats. Early course of desaturation and esterification. *Biochim Biophys Acta.* 1965; 106: 480-94.

Enari M, Sakahira H, Yokoyama H, Okawa K, Iwamatsu A, Nagata S. A caspase-activated DNase that degrades DNA during apoptosis, and its inhibitor ICAD. *Nature.* 1998; 391: 43-50.

Engelbrecht AM, Niesler C, Page C, Lochner A. P38 and JNK have distinct regulatory functions on the development of apoptosis during simulated ischaemia and reperfusion in neonatal cardiomyocytes. *Basic Res Cardiol.* 2004; 99: 338-350.

Engelbrecht AM, Niesler C, Page C, Lochner A. Long-chain polyunsaturated fatty acids protect neonatal cardiomyocytes against apoptosis by upregulation of the phosphatase, MKP-1. *J Mol Cardiol.* 2005. 39(6); 940-54.

Engelbrecht AM, Esterhuyse J, du Toit EF, Lochner A, van Rooyen J. p38-MAPK and PKB/Akt, possible role players in red palm oil-induced protection of the isolated perfused rat heart? *Journal of Nutritional Biochemistry.* 2006. 17(4); 265-71.

Esposito LA, Melov S, Panov A, Cottrell BA, Wallace DC. Mitochondrial disease in mouse results in increased oxidative stress. *Proc Natl Acad Sci USA*. 1999; 96: 4820-4825.

Esterbauer H, Rotheneder M, Striegl G, Waeg G, Ashy A, Sattler W, Jurgens G. Vitamin E and other lipophilic antioxidants protect LDL against oxidation. *Fat Sci Tech*. 1989; 320: 915-24.

Esterhuysen AJ, du Toit EF, Benade AJS, van Rooyen J. Dietary red palm oil improves reperfusion cardiac function in the isolated perfused rat heart of animals fed a high cholesterol diet. *Prostaglandins, Leukotrienes and Essential Fatty Acids*. 2005; 72: 153-161.

Esterhuysen AJ, van Rooyen J, Strijdom H, Bester D, du Toit EF. Proposed mechanisms for red palm oil induced cardioprotection in a model of hyperlipidaemia in the rat. *Prostaglandins, Leukotrienes and Essential Fatty Acids*. 2006 ; 75(6) : 375-84.

Faine LA, Diniz YS, Almeida JA, Novelli ELB. Toxicity of *ad libitum* overfeeding : effects on cardiac tissue. *Food Chem Toxicol*. 2002; 3: 130.

Farooq AK, Aamir IDAK, Syed Azhar A. Dietary fats and coronary risk factors modification – a human study. In: Chandrasekaran, Sundram K, eds. *Proceedings of the 1996 International Palm Oil Congress*. Kuala Lumpur, Malaysia: PORIM, 1996: 37.

Fernandez ML and McNamara DJ. Dietary fat-mediated changes in hepatic apo B/E receptor in the guinea pig: effect of polyunsaturated, monounsaturated, and saturated fat. *Metabolism*. 1989. 38; 1094-1102.

Fernandes-Alnemri T, Takahashi A, Armstrong R, Krebs J, Fritz L, Tomaselli KJ, Wang L, Yu Z, Croce CM, Salvesson G, et al. Mch3, a novel human apoptotic cysteine protease highly related to CPP32. *Cancer Res*. 1995; 55(24): 6045-52.

Folkers K, Relevance of the biosynthesis of coenzyme Q<sub>10</sub> and for the four bases of DNA as a rationale for the molecular causes of cancer and therapy. *Biochem Biophys Res Commun*. 1996; 224(2): 358-361.

Franke TF, Yang SI, Chan TO, Datta K, Kazlauskas A, Morrison DK, Kaplan DR, Tschlis PN. The protein kinase encoded by the Akt proto-oncogene is a target of the PDGF-activated phosphatidylinositol 3-kinase. *Cell*. 1995; 81(5): 727-736.

Fujio Y, Nguyen T, Wencker D, Kitis RN, Walsh K. Akt promotes survival of cardiomyocytes in vitro and protects against ischaemia-reperfusion injury in mouse heart. *Circulation*. 2000; 101: 660-7.

Gaziano JM, Hata A, Flynn M, Johnson EJ, Krinsky NI, Ridker PM, Hennekens CH, Frei B. Supplementation with beta-carotene in vivo and in vitro does not inhibit low density lipoprotein oxidation. *Atherosclerosis*. 1995; 112: 187-195.

Ghafoorunissa S and Reddy V. Effects of palm olein on blood lipids and platelet aggregation in healthy Indian subjects. XV International Congress on Nutrition, Adelaide, Australia (Abstract). 1993; 174.

Ghafoorunissa, Reddy V, Sesikaran B. Palm olein and groundnut oil have comparable effects on blood lipids and platelet aggregation in healthy Indian subjects. *Lipids*. 1995; 30: 1163-9.

Gey K, Puska P, Jordan P, Moser UK. Inverse correlation between plasma vitamin E and mortality from ischaemic heart disease in cross-cultural epidemiology. *Am J Clin Nutr*. 1991; 53: 326S-34S.

Giovannucci E. Tomato products, lycopene, and prostate cancer: a review of the epidemiological literature. *J Nutr*. 2005; 135: 2030S-2031S.

Goh SH, Choo YM, Ong ASH. Minor constituents of palm oil. *J Am Oil Chem Soc*. 1985; 62: 237-40.

Goh SH, Hew NF, Ong ASH, Choo YM, Brumby S. Tocotrienols from palm oil: electron spin resonance spectra of tocotrienoxy radicals. *J Am Oil Chem Soc*. 1990; 67: 250-3.

Goh SH, Loh TP, Huang JM, Choo Ym, Hew NF. Antioxidant in palm oil: their chemistry and some insights from feeding experiments on rabbits. In: Ong ASH, Packer L, eds. *Biological oxidants and antioxidants: molecular mechanisms and*

health effects. Champaign, Ill, USA: American Oil Chemists Society. 1998: 274-83.

Goh SH. Cholesterol. Malaysian Oil Sci Tech. 1999; 8 (2): 58-9.

Goh SH, Hew NF, Yadav M, Norhanom AW. Inhibition of tumour promotion by various palm-oil tocotrienols. Int J Cancer. 1994; 57: 529-31.

Green D & Kroemer G. The central executioners of apoptosis: caspases or mitochondria? Trends in Cell Biology. 1998. 8; 267-271.

Gross ER, Hsu AK, Gross GJ. Opioid-induced cardioprotection occurs via glycogen synthase kinase  $\beta$  inhibition during reperfusion in intact rat hearts. Circ Res. 2004. 94; 960-966.

Gunstone FD, Harwood JL, Padley FD, eds. The lipid handbook. 2<sup>nd</sup> ed. London: Chapman and Hall, 1994.

Gunstone FD. Fatty acid and lipid chemistry. London: Chapman and Hall, 1996.

Guo S, Rena G, Cichy S, He X, Cohen P, Unterman TG. Phosphorylation of serine 256 by protein kinase B disrupts transactivation by FKHR and mediates effects of insulin on insulin-like growth factor-binding protein-1 promoter activity through a conserved insulin response sequence. J Biol Chem. 1999; 274(24): 17184-17192.

Guthrie N, Chambers AF, Gapor A, Carroll KK. *In vitro* inhibition of proliferation of receptor-positive MCF-7 human breast cancer cells by palm oil tocotrienols. FASEB J. 1995; 9: A988.

Haas-Kogan D, Shalev N, Wong M, Mills G, Yount G, Stokoe D. Protein kinase B (PKB/Akt) activity is elevated in glioblastoma cells due to mutation of the tumour suppressor PTEN/MMAC. Curr Biol. 1998; 8: 1195-1198.

Hadley CW, Clinton SK, Schwartz SJ. The consumption of processed tomato products enhances plasma lycopene concentrations in association with a reduced lipoprotein sensitivity to oxidative damage. J Nutr. 2003; 133(3): 727-32.

Hano O, Thompson-Gorman SL, Zweier JL, Lakatta EG. Coenzyme Q10 enhances cardiac functional and metabolic recovery and reduces Ca<sup>2+</sup> overload during postischaemic reperfusion. *Am J Physiol.* 1994; 266: H2174-H2181.

Hara S, Halicka HD, Bruno S, Gong J, Traganos F, Darzynkiewicz Z. Effect of protease inhibitors on early events of apoptosis. *Exp Cell Res.* 1996; 232: 372-384.

Hariharan K, Purushothama S, Raina PL. Studies on red palm oil: Effect of partial supplementation of saturated fats upon lipids and lipoproteins. *Nutrition Research.* 1996. 16;8: 1381-1392.

Hart RW, Dixit R, Seng J, Turturro A, Leaky JEA, Feuers R, Duffy P, Buffington C Cowan G, Lewis S, Pipkin J, Li SY. Adaptive role of caloric intake on the degenerative disease process. *Toxicol Sci.* 1999; 52: 3-12.

Hayes KC, Pronczuk A, Lindsey S, Diersen-Scade D. Dietary saturated fatty acids (12:0, 14:0, 16:0) differ in their impact on plasma cholesterol and lipoproteins in nonhuman primates. *Am J Clin Nutr.* 1991; 53: 491-8.

Hegsted DM, McGandy RB, Myers ML, Stare FJ. Quantitative effects of dietary fat on serum cholesterol in man. *Am J Clin Nutr.* 1965; 17: 281-95.

Henning SL, Wambolt RB, Schonekess BO, Lopaschuk GD, Allard MF. Contribution of glycogen to aerobic myocardial glucose utilization. *Circulation.* 1996; 93: 1549-1555.

Hew NF, Khor HT, Choo YM, Yap SF, Goh SH. Unusual accumulation of  $\alpha$ -tocopherol in rabbits fed palm-oil diets enhanced with various vitamin E components. *Malaysian J Food Sci.* 1994; 15B: 23-5.

Heyden S. Polyunsaturated and monounsaturated fatty acids in the diet prevent coronary heart disease via cholesterol reduction. *Ann Nutr Metab.* 1994; 38 (3): 117-122.

Hill MF, Singal PK. Antioxidant and oxidative stress changes during heart failure subsequent to myocardial infarction in rats. *Am J Pathol.* 1996; 148: 291-300.

Ho KK, Pinsky JL, Kannel WB, Levy D. The epidemiology of heart failure: the Framingham study. *J Am Coll Cardiol.* 1993; 22: 6A-13A.

Hockenberry DM. Bcl-2 in cancer, development and apoptosis. *J Cell Sci.* 1995; 18: 51-55.

Honstra G, Hennissen AAHM, Tan DTS, Kalafusz R. Unexpected effects of dietary palm oil on arterial thrombosis (rat) and atherosclerosis (rabbit). Comparison with vegetable oils and fish oils. In: Galli C, Fideli E, eds. *Fat production and consumption. Technologies and nutritional implications.* New York: Plenum, NATO-ARW Series. Life Sciences. 1987; 131: 69-82.

Hornstra G. Dietary lipids and cardiovascular disease: effects of palm oil. *Oleagineux.* 1988; 43: 75-81.

Hood RL. Tocotrienols and cholesterol metabolism. Ong ASH, Niki E, Packer L, eds. *Nutrition, Lipids, Health and Disease.* 1995; 96-103 AOCs Press Champaign, IL.

Horlick L, Graig BM. Effect of long-chain polyunsaturated and saturated fatty acids on the serum lipids of man. *Lancet.* 1957; 2: 566-9.

Hsiao G, Fong TH, Tzu NH, Lin KH, Chou DS, Sheu JR. A potent antioxidant, lycopene, affords neuroprotection against microglia activation and focal cerebral ischemia in rats. *In Vivo.* 2004; 18(3): 351-6.

Idris CA and Sundram K. Effect of dietary cholesterol, *trans* and saturated fatty acids on serum lipoproteins in non-human primates. *Asia Pacific J Clin Nutr.* 2002; 11(Suppl); S408-S415.

Illarion V, Murad T, Murad F. Protein nitration in cardiovascular diseases. *Pharmacol. Rev.* 2002; 54: 619-634.

Jaswal JS, Gandhi M, Finegan BA, Dyck JRB, Clanachan AS. P38 mitogen activated protein kinase mediates adenosine-induced alterations in myocardial glucose utilization via 5'-AMP activated protein kinase. *Am J Physiol Heart Circ Physiol.* 2007; 292(4): H1978-85.

Juhaszova M, Zorov DB, Kim SH, Pepe S, Fu Q, Fishbein KW, Ziman BD, Wang S, Ytrehus K, Antos CL, Olson EN, Sollott SJ. Glycogen synthase kinase-3 $\beta$  mediates convergence of protection signalling to inhibit the mitochondrial permeability transition pore. *The Journal of Clinical Investigation*. 2004. 113; 11: 1535-1549

Kajstura J, Cheng W, Reiss K, Clark WA, Sonneblich EH, Krajewski S, Reed JC, Olivetti G, Anversa P. Apoptotic and necrotic myocyte cell deaths are independent contributing variables of infarct size in rats. *Lab Invest*. 1996; 7(1): 86-107.

Kamal-Eldin A, Appelqvist L. The chemistry and antioxidant properties of tocopherols and tocotrienols. *Lipids*. 1996; 31: 671-701.

Kamen B. A new dietary oil for the new millennium, red palm oil. *Total Health*. 2000; 22 (6): 62-63.

Kaufmann SH, Desnoyers S, Ottaviano Y, Davidson NE, Poirier GG. Specific proteolytic cleavage of poly(ADP-ribose) polymerase an early marker of chemotherapy-induced apoptosis. *Cancer Res*. 1993; 53: 3976-3985.

Kauffmann-Zeh A, Rodriguez-Viciano P, Ulrich E, Gilbert C, Coffey P, Downward J, Evan G. Suppression of c-Myc-induced apoptosis by Ras signalling through PI(3)K and PKB. *Nature*. 1997; 385(6616): 544-8.

Kennedy SG, Wagner AJ, Conzen SD, Jordan J, Bellacosa A, Tsichlis PN, Hay N. The PI3-kinase/Akt signalling pathway delivers an anti-apoptotic signal. *Genes Dev*. 1997; 11: 701-713.

Kerr F, Rickle A, Nayeem N, Brandner S, Cowburn RF, Lovestone S. PTEN, a negative regulator of PI3 kinase signalling, alters tau phosphorylation in cells by mechanisms independent of GSK-3. *FEBS Letters*. 2006. 580; 3121-3128.

Keys A, Anderson JT, Grande F. Serum cholesterol response to changes in the diet. IV. Particular saturated fatty acids in the diet. *Metabolism*. 1965; 14: 776-87.

Khwaja A, Rodrigues-Viciano P, Wennstrom S, Warne PH, Downward J. Matrix adhesion and Ras transformation both activate a phosphoinositide 3-OH kinase and protein kinase B/Akt cellular survival pathway. *EMBO J.* 1997; 16(10): 2783-2793.

Khor HT, Chieng DY, Ong KK. Tocotrienols inhibit HMG-COA reductase activity in the guinea pig. *Nutr Res.* 1995; 15: 537-44.

Kim S, Domon-Dell C, Wang Q, Chung DH, Di Cristofano A, Pandolfi PP, Freund JN, Evers BM. PTEN and TNF-alpha regulation of the intestinal-specific Cdx-2 homeobox gene through a PI3K, PKB/Akt, and NF-kappaB-dependent pathway. *Gastroenterology.* 2002; 123(4): 1163-78.

Kloner RA, Jennigs RB. Consequences of brief ischemia: stunning preconditioning and their clinical implications (Part I). *Circulation.* 2001; 104: 2981-2989.

Kluck RM, Bossy-Wetzel E, Green DR, Newmeyer DD. The release of cytochrome c from mitochondria: A primary site for bcl-2 regulation. *Science.* 1997; 275: 1136-1140.

Kockeritz L, Doble B, Patel S, Woodgett JR. Glycogen synthase kinase-3 – an overview of an over-achieving protein kinase. *Curr Drug Targets.* 2006; 7(11): 1377-88

Kok FJ, de Bruijn AM, Vermeeren R, Hofman A Van Laar A de Bruin M Hermus RJ, Valkenburg HA. Serum selenium vitamin antioxidants and cardiovascular mortality: a 9-year follow-up study in the Netherlands. *Am J Clin Nutr.* 1987; 45: 462-8.

Kohlmeier L, Kark JD, Gomez-Gracia E, Martin BC, Steck SE, Kardinaal AF, Ringstad J, Thamm M, Masaev V, Riemersma R, Martin-Moreno JM, Huttunen JK, Kok FJ. Lycopene and myocardial infarction risk in the EURAMIC study. *Am J Epidemiol.* 1997; 146(8): 618-26.

Konishi H, Matsuzaki H, Tanaka M, Ono Y, Tokunaga C, Kuroda S, Kikkawa U. Activation of RAC-protein kinase by heat shock and hyperosmolarity stress

through a pathway independent of phosphatidylinositol 3-kinase. *Proc Natl Acad Sci. USA.* 1996; 93: 7639-7643.

Kooyenga DK, Geller M, Watkins TR, Gapor A, Diakoumakis E, Bierenbaum ML. Antioxidant effects of tocotrienols in patients with hyperlipidemia and carotid stenosis. *PORIM International Palm Oil Congress.* September 23-28, 1996. Kuala Lumpur, Malaysia: PORIM, 1996: 152-60.

Kothakota S, Azuma T, Reinhard C, Klippel A, Tang J, Chu K, McGarry TJ, Kirschner MW, Koths K, Kwiatkowskie DJ, Williams LT. Caspase-3-generated fragment of gelsolin: effector of morphological change in apoptosis. *Science.* 1997; 278: 294-298.

Kritchevsky D. Influence of triglyceride structure on lipid metabolism. *Malaysian Oil Sci Tech.* 1995; 4 (1): 23-7.

Kritchevsky D, Tepper SA, Kuksis A, Eghtedary K, Klurfeld DM. Cholesterol vehicle in experimental atherosclerosis 2.1. Native and randomized lard and tallow. *J Nutr Biochem.* 1998; 9: 582-5.

Kritchevsky D. Impact of red palm oil on human nutrition and health. *Food Nutr Bull.* 2000; 21 (2): 182-188.

Kritchevsky D, Tepper SA, Chen SC, Meijer GW. Influence of triglyceride structure on experimental atherosclerosis in rabbits. *FASEB J.* 1996; 10: A187.

Kritchevsky D, Tepper SA, Kuksis A. Effects of palm oil, randomized palm oil and red palm oil on experimental atherosclerosis. *FASEB J.* 1999; 13: A213.

Kroner C, Eybrechts K, Akkerman JW. Dual regulation of platelet protein kinase B. *J Biol Chem.* 2000; 275(36): 27790-27798.

Kruger M, Engelbrecht AM, Esterhuysen J, du Toit EF, van Rooyen J. Dietary Red Palm Oil (RPO) reduces ischaemia/reperfusion injury in a hypercholesterolemic diet. *Br J Nutr.* 2007; 97(4): 653-60.

Kuida K, Zheng TS, Na S, Kuan C, Yang D, Karasuyama G, Rakic P, Flavell RA. Decreased apoptosis in the brain and premature lethality in CPP32-deficient mice. *Nature.* 1996; 384: 386-372.

Kulik G, Klippel A, Weber MJ. Antiapoptotic signaling by the insulin-like growth factor 1 receptor, phosphatidylinositol 3-kinase, and Akt. *Mol Cell Biol.* 1997; 17: 1595-1606.

Lazebnik YA, Kaufmann SH, Desnoyers S, Poirier GG, Earnshaw WC. Cleavage of poly(ADP-ribose) polymerase by a proteinase with properties like ICE. *Nature.* 1994; 371: 346-347.

Liang J, Slingerland JM. Multiple roles of the PI3K/PKB (Akt) pathway in cell cycle progression. *Cell Cycle.* 2003. 2; 339-345.

Lietz G, Henry CJK, Mulokozi G, Mugyabuso J, Ballart A, Ndossi G, Lorri W, Tomkins A. Use of red palm oil for the promotion of maternal vitamin A status. *Food and Nutrition Bulletin.* 2000; 21(2): 215-218.

Li C, Jackson RM. Reactive species mechanisms of cellular hypoxia-reoxygenation injury. *Am J Physiol Cell Physiol.* 2002 ; 282(2) : 227-41.

Li Y, Dowbenko D, Lasky LA. *Caenorhabditis elegans* PIAK, a Phospholipid-independent kinase that activates the AKT/PKB survival kinase. *J Biol Chem.* 2001; 276(23): 20323-20329.

Lin A. Activation of the JNK signaling pathway: breaking the break on apoptosis. *BioEssays.* 2003; 25: 17-24.

Lin Y, Burri BJ, Neidlinger TR, Muller HG, Dueker SR, Clifford AJ. Estimating the concentration of beta-carotene required for maximal protection of low-density lipoproteins in women. *Am J Clin Nutr.* 1998; 67: 837-845.

Liu B, Clanachan AS, Schulz R, Lopaschuk GD. Cardiac efficiency is improved after ischaemia by altering both source and fate of protons. *Cir Res.* 1996; 79: 940-948.

Liu X, Zou H, Slaughter C, Wang X. DFF, a heterotrimeric protein that functions downstream of caspase-3 to trigger DNA fragmentation during apoptosis. *Cell.* 1997; 89: 175-184.

Liu Q, Docherty JC, Rendell JC, Clanachan AS, Lopaschuk GD. High levels of fatty acids delay the recovery of intracellular pH and cardiac efficiency in post-

ischaemic hearts by inhibiting glucose oxidation. *J Am Coll Cardiol.* 2002; 39: 718-725.

Liu Y, Gorospe M, Yang C, Holbrooks NJ. Role of mitogen-activated protein kinase phosphatase during the cellular response to genotoxic stress. *J Biol Chem.* 1995; 15: 8377-8380.

Liu C, Lian F, Smith DE, Russell RM, Wang XD. Lycopene supplementation inhibits lung squamous metaplasia and induces apoptosis via up-regulating insulin-like growth factor-binding protein 3 in cigarette smoke-exposed ferrets. *Cancer Res.* 2003; 63(12): 3138-44.

Lockwood K, Moesgaard S, Folkers K. Partial and complete regression of breast cancer in patients in relation to dosage of coenzyme Q<sub>10</sub>. *Biochem Biophys Res Commun.* 1994; 1994(3): 1504-1508.

Lockwood K, Moesgaard S, Yamamoto T, Folkers K. Progress on therapy of breast cancer with vitamin Q<sub>10</sub> and the regression of metastases. *Biochem Biophys Res Commun.* 1995; 212(1): 172-177.

Mackay K and Mochly-Rosen D. Involvement of a p38 mitogen-activated protein kinase phosphatase in protecting neonatal rat cardiac myocytes from ischaemia. *J Mol Cell Cardiol.* 2000; 32: 1585-8.

Maehama T, Dixon JE. The tumour suppressor, PTEN/MMAC1, dephosphorylates the lipid second messenger phosphatidylinositol 3,4,5-trisphosphate. *J Biol Chem.* 1998; 273: 13375-13378.

Majewski M, Nieborowska-Skorska M, Salomoni P, Slupianek A, Reiss K, Trotta R, Calabretta B, Skorski T. Activation of mitochondrial Raf-1 is involved in the antiapoptotic effects of Akt. *Cancer Res.* 1999; 59(12): 2815-2819.

Mahapatra S, Manorama R. The protective effect of red palm oil in comparison with massive vitamin A dose in combating vitamin A deficiency in Orissa, India. *Asia Pacific J Clin Nutr.* 1997; 6(4): 246-250.

Mallat Z, Philip I, Lebret M, Chatel D, Maclouf J, Tedjui A. Elevated levels of 8-iso-prostaglandin F<sub>2</sub>alpha in pericardial fluid of patients with heart failure: a potential role for in vivo oxidant stress in ventricular dilatation and progression to heart failure. *Circulation*. 1998; 97: 1536-1539.

Manorama R, Brahamam GNV, Rukmini C. Red palm oil as a source of  $\beta$ -carotene for combating vitamin A deficiency. *Plant Foods Hum Nutr*. 1996; 49: 75-82.

Manorama R, Chinnasamy N, Rukmini C. Effect of red palm oil on some hepatic drug-metabolizing enzymes in rats. *Food Chem Toxicol*. 1993; Aug; 31 (8): 583-8.

Marais E, Genade S, Huisamen B, Strijdom JG, Moolman JA, Lochner A. Activation of p38 MAPK induced by a multi-cycle ischaemic preconditioning protocol is associated with attenuated p38 MAPK activity during sustained ischaemia and reperfusion. *J Mol Cell Cardiol*. 2001; 33: 769-78.

Martin SS, Perez-Polo JR, Noppens KM, Grate MR. Biphasic changes in the levels of poly(ADP-ribose) polymerase-1 and caspase-3 in the immature brain following hypoxia-ischaemia. *Int J Dev Neuro Sci*. 2005; 23(8): 673-686.

Matsui T, Li L, del Monte F, Fukui Y, Franke TF, Hajjar RJ, Rosenzweig A. Adenoviral gene transfer of activated phosphatidylinositol 3'-kinase and Akt inhibits apoptosis of hypoxic cardiomyocytes in vitro. *Circulation*. 1999; 100: 2373-2379.

Mattson FH, Volpenhein RA. The digestion and absorption of triglycerides. *J Biol Chem*. 1959; 239: 2772-7.

Mattson FH, Grundy SM. Comparison of effects of dietary saturated, monounsaturated, and polyunsaturated fatty acids on plasma lipids and lipoproteins in man. *J Lipid Res*. 1985; 26: 194-202.

Matulka RA, Hood AM, Griffiths JC. Safety evaluation of a natural tomato oleoresin extract derived from food-processing tomatoes. *Regul Toxicol Pharmacol*. 2004; 39: 390-402.

McCord JM. Oxygen-derived free radicals in postischaemic tissue injury. *N Engl J Med.* 1985; 312: 159-163.

McManus EJ, Sakamoto K, Armit LJ, Ronaldson L, Shpiro N, Marquez R, Alessi DR. Role that phosphorylation of GSK3 plays in insulin and Wnt signaling defined by knockin analysis. *EMBO J.* 2005. 24; 1571.

Meier R, Alessi DR, Cron P, Anjelkovic M, Hemmings BA. Mitogenic activation , phosphorylation, an nuclear translocation of protein kinase B beta. *J Biol Chem.* 1997; 272: 30491

Meier R, Thelen M, Hemmings BA. Inactivation and dephosphorylation of protein kinase Balpha (PKBalpha) promoted by hyperosmotic stress. *EMBO J.* 1998; 17(24): 7294-7303.

Moule SK, Welsh GI, Edgell NJ, Foulstone EJ, Proud CG, Denton RM. Regulation of protein kinase B and glycogen synthase kinase-3 by insulin and beta-adrenergic agonists in rat epididymal fat cells. Activation of protein kinase B by wortmannin-sensitive and -insensitive mechanisms. *J Biol Chem.* 1997; 272(12): 7713-7719.

Nagendran B, Unnithan UR, Choo YM, Sundram K. Characteristics of red palm oil, a carotene- and vitamin E-rich refined oil for food uses. *Food Nutr Bull.* 2000; 21: 189-194.

Nakae J, Park BC, Accilli D. Insulin stimulates phosphorylation of the forkhead transcription factor FKHR on serine 253 through a Wortmannin-sensitive pathway. *J Biol Chem.* 1999; 274(23): 15982-15985.

Nakayama M, Ju HR, Sugano M, Hirose N, Ueki T, Doi F, Eynard AR. Effect of dietary fat and cholesterol on dimethylbenz(a)-anthracene-induced mammary tumorigenesis in Sprague-Dawley rats. *Anticancer Res.* 1993; 13(3): 691-698.

Nesaretnam K, Guthrie N, Chambers AF, Carroll KK. Effect of tocotrienols on the growth of a human breast cancer cell line in culture. *Lipids.* 1995; 30: 1139-43.

Ng TKW, Hassan K, Lim JB, Lye MS, Ishak R. Nonhypercholesterolemic effects of a palm oil diet in Malaysian volunteers. *Am J Clin Nutr.* 1991; 53: 1015S-20S.

Ng TKW, Hayes KC, de Witt GF, Jegathesan M, Satgunasingham N, Ong ASH, Tan DTS. Palmitic and oleic acids exert similar effects on lipid profiles in normocholesterolemic humans. *J Am Coll Nutr.* 1992; 11: 383-90.

Nicholson DW, All A, Thornberry NA, Vallancourt JP, Ding CK, Gallant M, Gareau Y, Griffin PR, Labelle M, Lazebnik YA, Munday NA, Raju SM, Smulson ME, Yamin T-T, Yu VL, Miller DK. Identification and inhibition of the ICE/CED-3 protease necessary for mammalian apoptosis. *Nature.* 1995; 376: 37-43.

Nicholson DW. ICE/CED3-like proteases as therapeutic targets for the control of inappropriate apoptosis. *Nat Biotechnol.* 1996; 14: 297-301.

Nicholson DW, Thornberry NA. Caspases : killer proteases. *Trends Biochem Sci.* 1997; 22: 299-306.

Nkondjock A, Shatenstein B, Maisonneuve P, Ghadirian P. Specific fatty acids and human colorectal cancer: an overview. *Cancer Detect Prevent.* 2003; 27 (1): 55-66.

Novelli ELB, Fernandes AAH, Campos KE, Diniz YS, Almeida JA, Faine LA, Ribas BO. The adverse effect of a high-energy dense diet on cardiac tissue. *J Nutr Environ Med.* 2002;12: 287-294.

Obata T, Brown GE, Yaffe MB. MAP kinase pathways activated by stress: the p38 MAPK pathway. *Crit Care Med.* 2000; 28: N67-N77.

Ogg S, Ruvkun G. The *C. elegans* PTEN homolog, DAF-18, acts in the insulin receptor-like metabolic signaling pathway. *Mol Cell.* 1998; 2: 887-893.

Oliver FJ, de Murcia JM, Nacci C, Decker P, Andriantsitohaina R, Muller S, de la Rubia G, Stoclet JC, de Murcia G. Resistance to endotoxic shock as a consequence of defective NF-kappa $\beta$  activation in poly(ADP-ribose) polymerase-1 deficient mice. *EMBO J.* 1999; 18: 4446-4454.

Ong ASH, Goh SH. Palm oil: A healthful and cost-effective dietary component. *Food Nutr Bull.* 2002; 23(1): 11-22.

Ong ASH, Packer L, eds. Biological oxidants and antioxidants: molecular mechanisms and health effects. Champaign, Ill, USA: American Oil Chemists Society, 1998.

Ong ASH, Packer L, eds. Lipid-soluble antioxidants: biochemistry and applications. Basel, Switzerland: Birkhauser, 1992.

Ooi CK, Choo YM, Yap CM, Ma AN. Refining of red palm oil. *Elaeis*. 1996; 8: 20-8.

Oo (Nee Geh) SL, Chang P, Chan KE. Toxicological and pharmacological studies on palm vatee. *Nutr Res*. 1992; 2(1): S217-S222.

Ozes ON, Mayo LD, Gustin JA, Pfeffer SR, Pfeffer LM, Donner DB. NF-kappaB activation by tumour necrosis factor requires the Akt serine-threonine kinase. *Nature*. 1999; 401(6748): 82-85.

Pabla R, Bland-Ward P, Moore PK, Curtis MJ. An endogenous protectant effect of cardiac cyclic GMP against reperfusion-induced ventricular fibrillation in the rat heart. *Br J Pharmacol*. 1995; 16(7): 2923-30.

Palozza P, Calviello G, Bartoli GM : Prooxidant activity of beta-carotene under 100% oxygen pressure in rat liver microsomes. *Free Radic Biol Med*. 1995; 19: 887-892.

Panka DJ, Mano T, Suhara T, Walsh K, Mier JW. Phosphatidylinositol 3-kinase/Akt activity regulates c-FLIP expression in tumor cells. *J Biol Chem*. 2001; 276(10): 6893-6896.

Park WH, Seol JG, Kim ES, Hyun JM, Jung CW, Lee CC, et al. Induction of apoptosis by vitamin D3 analogue EB 1089 in NCI-H929 myeloma cells via activation of caspase-3 and p38-MAPK. *Br J Haematol*. 2000; 109: 576-83.

Parker RA, Pearce BC, Clark RW, Gordon DA, Wright JJK. Tocotrienols regulate cholesterol production in mammalian cells by post-transcriptional suppression of 3-hydroxy-3-methylglutaryl-coenzyme A reductase. *J Biol Chem*. 1993; 268: 11230-8.

Pavia SAR and Russell RM.  $\beta$ - carotene and other carotenoids as antioxidants. *Journal of the American College of Nutrition*. 1999; 18(5): 426-433.

Persad S, Troussard AA, McPhee TR, Mulholland DJ, Dedhar S. Tumor suppressor PTEN inhibits nuclear accumulation of beta-catenin and T cell/lymphoid enhancer factor 1-mediated transcriptional activation. *J Cell Biol*. 2001; 153: 1161-1174.

Plyte SE, Hughes K, Nikolakaki E, Pulverer BJ, Woodgett JR. Glycogen synthase kinase-3: functions in oncogenesis and development. *Biochim Biophys Acta*. 1992. 1114; 147-162.

Portakal O, Ozkaya O, Erden Inal M, Bozan B, Kosan M, Sayek I. Coenzyme Q10 concentrations and antioxidant status in tissues of breast cancer patients. *Clin Biochem*. 2000; 33(4): 279-84.

Pugazhenth S, Nesterova A, Sable C, Heidenreich KA, Boxer LM, Heasley LE, Reusch JE. Akt/ protein kinase B up-regulates Bcl-2 expression through camp-response element binding protein. *J Biol Chem*. 2000; 275(15): 10761-10766.

Qureshi AA, Bradlow BA, Salser WA, Brace LD. Novel tocotrienols of rice bran modulate cardiovascular disease risk parameters of hypercholesterolaemic humans. *Nutr Biochem*. 1997; 8: 290-298.

Rand ML, Hennissen AA, Hornstra G. Effect of dietary palm oil on arterial thrombosis, platelet response and platelet membrane fluidity in rats. *Lipids*. 1988; 23: 1019-23.

Reed JC. Bcl-2 and the regulation of programmed cell death. *J Cell Biol*. 1994; 124: 1-6.

Rena G, Guo S, Cichy SC, Unterman TG, Cohen P. Phosphorylation of the transcription factor forkhead family member FKHR by protein kinase B. *J Biol Chem*. 1999; 274: 17179-17183.

Reznick AZ, Witt E, Matsumoto M, Packer L. Vitamin E inhibits protein oxidation in skeletal muscle of resting and exercised rats. *Biochem Biophys Res Commun*. 1992; 189: 801-6.

Ricciarelli R, Zing JM, Azzi A. Vitamin E: protective role of a Janus molecule. *FASEB J.* 2001; 15: 2314-2325.

Rao AV, Ray MR, Rao LG. Lycopene. *Adv Food Nutr Res.* 2006; 51: 99-164.

Rissanen TH, Voutilainen S, Nyyssonen K, Lakka TA, Sivenius J, Salonen R, Kaplan GA, Salonen JT. Low serum lycopene concentration is associated with an excess incidence of acute coronary events and stroke: the Kuopio Ischaemic Heart Disease Risk Factor Study. *Br J Nutr.* 2001; 85(6): 749-54.

Romashkova JA, Makarov SS. NF-kappaB is a target of AKT in anti-apoptotic PDGF signalling. *Nature.* 1999; 401(6748): 86-90.

Russell RR. 3<sup>rd</sup>, Cline GW, Guthrie PH, Goodwin GW, Shulman GI, Taegetmeyer H. Regulation of exogenous and endogenous glucose metabolism by insulin and acetoacetate in the isolated working rat heart. A three tracer study of glycolysis, glycogen metabolism, and glucose oxidation. *J Clin Invest.* 1997; 100: 2892-2899.

Rylatt DB, Aitken A, Bilham T, Condon GD, Embi N, Cohen P. Glycogen synthase from rabbit skeletal muscle. Amino acid sequence at the sites phosphorylated by glycogen synthase kinase-3, and extension of the N-terminal sequence containing the site phosphorylated by phosphorylase kinase. *Eur J Biochem.* 1980. 107; 529-537.

Sabbatini P and McCormick F. Phosphoinositide 3-OH kinase (PI3K) and PKB/Akt delay the onset of p53-mediated, transcriptionally dependent apoptosis. *The Journal of Biological Chemistry.* 1999; 274(34): 24263-24269.

Sable CL, Filippa N, Hemmings B, Van Obberghen E. cAMP stimulates protein kinase B in a Wortmannin-insensitive manner. *FEBS Lett.* 1997; 409: 253-257.

Sakahira H, Enari M, Nagata S. Cleavage of CAD inhibitor in CAD activation and DNA degradation during apoptosis. *Nature.* 1998; 391: 96-99.

Salonen JT, Salonen R, Seppanen K, Kantola M, Parvianen M, Alfthan G, Maenpaa PH, Taskinen E, Rauramaa R. Relationship of serum selenium and

antioxidants to plasma lipoproteins, platelet aggregability and prevalent ischaemic heart disease in Eastern Finnish men. *Atherosclerosis*. 1988; 70: 155-60.

Schmitz I, Kirchhoff S, Krammer PH. Regulation of death receptor-mediated apoptosis pathways. *The International Journal of Biochemistry & Cell Biology*. 2000. 32; 1123-1136

Schubert KM, Scheid MP, Duronio V. Ceramide inhibits protein kinase B/Akt by promoting dephosphorylation of serine 473. *J Biol Chem*. 2000; 18: 13330-13335.

Scrimshaw NS. Nutritional potential of red palmoil for combating vitamin A deficiency. *Food Nutr Bull*. 2000; 21: 195-201.

Sen C K, Khanna S, Roy S. Tocotrienols: Vitamin E beyond tocopherols. *Life Sciences*. 2006; 78(18): 2088-2098

Serbinova E, Kagan V, Han D, Packer L. Free radical recycling and intramembrane mobility in the antioxidant properties of alpha-tocopherol and alpha-tocotrienol. *Free Rad Biol Med*. 1991; 10: 263-75.

Serbinova E, Khwaja S, Catudioc J, Ericson J, Torres Z, Gapor A, Kagan V, Packer L. Palm Oil Vitamin E protects against ischaemia/reperfusion injury in the isolated perfused Langendorff heart. *Nutr Res*. 1992; 12 (Suppl 1): S203-215.

Sharma M, Chuang WW, Sun Z. Phosphatidylinositol 3-kinase/Akt stimulates androgen pathway through GSK3beta inhibition and nuclear beta-catenin accumulation. *J Biol Chem*. 2002. 277; 30935-30941.

Shao A, Hathcock JN. Risk assessment for the carotenoids lutein and lycopene. *Regulatory Toxicology and Pharmacology*. 2006; 45: 289-298.

Shaw M, Cohen P, Alessi DR. The activation of protein kinase B by H<sub>2</sub>O<sub>2</sub> or heat shock is mediated by phosphoinositide 3-kinase and not by mitogen-activated protein kinase-activated protein kinase-2. *Biochem J*. 1998; 336: 241-246.

Shepherd J, Packard CJ, Patsch JR, Gotto AM. Effects of dietary polyunsaturated and saturated fat on the properties of high density lipoproteins and the metabolism of apolipoprotein A-I. *J Clin Invest*. 1978; 61: 1582-1592.

Shinohara T, Takahashi N, Ooie T, Hara M, Shigematsu S, Nakagawa M, Yonemochi H, Saikawa T, Yoshimatsu H. Phosphatidylinositol 3-kinase-dependent activation of Akt, an essential signal for hyperthermia-induced heat-shock protein 72, is attenuated in streptozotocin-induced diabetic heart. *Diabetes*. 2006; 55: 1307-1315.

Siew WL. Characteristics of palm olein from *Elaeis guineensis* palm oil. Kuala Lumpur, Malaysia: Malaysian Palm Oil Board, MPOB Technology. 2000, No. 23.

Skorski T, Bellacosa A, Nieborowska-Skorska M, Majewski M, Martinez R, Choi JK, Trotta R, Wlodarski P, Perrotti D, Chan To, Wasik MA, Tschlis PN, Clabretta B. Transformation of hematopoietic cells by BCR/ABL requires activation of a PI-3k/Akt-dependent pathway. *EMBO J*. 1997; 16(20): 6151-6161.

Slattery ML, Potter JD, Duncan DM, Berry TD. Dietary fats and colon cancer: assessment of risk associated with specific fatty acids. *Int J Cancer*. 1997;73: 670-677.

Small DM. The effects of glyceride structure on absorption and metabolism. *Annu Rev Nutr*. 1991; 11: 413-34.

Stambolic V, Suzuki A, de la Pompa JL, Brothers GM, Mirtsos C, Sasaki T, Ruland J, Penninger JM, Siderovski DP, Mak TW. Negative regulation of PKB/Akt dependent cell survival by the tumour suppressor PTEN. *Cell*. 1998; 95: 29-39.

Stahl W, Sies H. Antioxidant activity of carotenoids. *Mol Aspects Med*. 2003; 24(6): 345-51.

Steinberg D, Parthasarathy S, Carew TE, Khoo JC, Witztum JL. Modifications of low-density lipoprotein that increase its atherogenicity. *N Engl J Med*. 1989; 320: 915-24.

Stephens NG, Parsons A, Schofield PM, Kelly F, Cheeseman K, Mitchinson MJ. Randomized controlled trial of vitamin E in patients with coronary heart disease. Cambridge heart antioxidant study (CHAOS). *Lancet*. 1996; 347: 781-786.









of phosphatidylinositol 3-kinase in RBL-2H3 cells. *J Biol Chem.* 1993; 268: 25846-25856.

Yokoyama H, Lingle DM, Crestanello JA, Kamelgard J, Kott BR, Momeni R, Milli J, Mortensen SA, Whitman GJ. Coenzyme Q<sub>10</sub> protects coronary endothelium function from ischaemia/reperfusion injury via an antioxidant effect. *Surgery.* 1996; 120(2): 189-196.

Yoshida Y, Niki E, Noguchi N. Comparative study on the action of tocopherols and tocotrienols as antioxidant: chemical and physical effects. *Chem Phys Lipids.* 2003; 123: 63-75.

Yu W, Simmons-Menchaca M, Gapor A, Sanders BG, Kline K. Induction of apoptosis in human breast cancer cells by tocopherols and tocotrienols. *Nutr Cancer.* 1999; 33(1): 26-32.

Yusuf S, Reddy S, Ounpuu S, Anand S. Global burden of cardiovascular diseases: part I: general considerations, the epidemiologic transition, risk factors, and impact of urbanization. *Circulation.* 2001; 104(22): 2746-53.

Zhao X, Aldini G, Johnson EJ, Rasmussen H, Kraemer K, Woolf H, Musaeus N, Krinsky NI, Russell RM, Yeum KJ. Modification of lymphocyte DNA damage by carotenoid supplementation in postmenopausal women. *Am J Clin Nutr.* 2006; 83: 163-169.

Zhang J, Ping W, Wang C, Shou CX, Keyou G. Non-hypercholesterolemic effects of a palm oil diet in Chinese adults. *J Nutr.* 1997; 127: 509S-13S.

Zhou H, Li XM, Meinkoth J, Pittman RN. Akt regulates cell survival and apoptosis at a postmitochondrial level. *J Biol Chem.* 2000.; 151(3): 483-494.