

**FACTORS AFFECTING HIV COUNSELLING AND TESTING (HCT) IN THE
PROVISION OF PREVENTION OF MOTHER TO CHILD TRANSMISSION
(PMTCT) SERVICES AMONG PREGNANT WOMEN IN KABWE, CENTRAL
PROVINCE OF ZAMBIA**

by
Cecilia Chitambala

Assignment presented in fulfilment of the requirements for the degree
of Master of Philosophy (HIV/AIDS management) in the Faculty of
Economic and Management Sciences at Stellenbosch University



Supervisor: Prof. Geoffrey Setswe

March 2013

	9	Are there statistics showing that HCT was done?	1	1	1	1	1	1	6
PMTCT (This is for all antenatal clients who tested positive)	10	Are there statistics showing that the clients accepted to go on PMTCT?	1	1	1	1	1	1	6
	11	Is there indication the clients were given the first dose of PMTCT?	1	1	1	1	1	1	6
	12	Is there indication the clients were given the second dose of PMTCT during delivery?	1	1	1	1	1	1	6
	13	Is there indication the clients' children were given the infant dose of PMTCT at birth?	1	1	1	1	1	1	6
Final summary	14	Has this form been completed	1	1	1	1	1	1	6
Total score			14	14	14	14	14	13.5	83.5
Percentage			100	100	100	100	100	97	