







































30. Klein S, Allison DB, Heymsfield SB, Kelley DE, Leibel RL, Nonas C, et al. Waist circumference and cardiometabolic risk: a consensus statement from shaping America's health: Association for Weight Management and Obesity Prevention; NAASO, the Obesity Society; the American Society for Nutrition; and the American Diabetes Association. *Obesity*. 2007;15(5):1061-1067.
31. Force, IDF African Region Task. Type 2 diabetes clinical practice guidelines for sub-Saharan Africa. Dar es Salaam: International Diabetes Federation Africa Region. 2006.
32. Ebeling P, Koivisto V. Occurrence and interrelationships of complications in insulin-dependent diabetes in Finland. *Acta Diabetol*. 1997;34(1):33-38.
33. Moss SE, Klein R, Klein BE. The incidence of vision loss in a diabetic population. *Ophthalmology*. 1988;95(10):1340-1348.
34. Moss SE, Klein R, Klein BE. Ten-year incidence of visual loss in a diabetic population. *Ophthalmology*. 1994;101(6):1061-1070.
35. Bonovas S, Peponis V, Filioussi K. Diabetes mellitus as a risk factor for primary open-angle glaucoma: a meta-analysis. *Diabetic Med*. 2004;21(6):609-614.