


# The responses of endothelium to insult: Does endothelial heterogeneity play a role in *in vitro* cell models?

by  
**Mashudu Mthethwa**



*Dissertation presented for the degree of Doctor of Philosophy  
(Medical Physiology) in the  
Faculty of Medicine and Health Sciences at  
Stellenbosch University*

Supervisor: Prof Hans Strijdom  
Co-supervisor: Prof Anna-Mart Engelbrecht

December 2015



































































































































































































































































































































































































































































































































































































































































































































































Zhang C, Xu X, Potter BJ, *et al.* TNF- $\alpha$  contributes to ED in ischemia / reperfusion injury. *Arterioscler Thromb Vasc Biol* 2006; 26: 475-480.

Zhang F, Zhang Y, Li PL. Dependence of cathepsin L-induced coronary endothelial dysfunction upon activation of NAD(P)H oxidase. *Microvasc Res.* 2009; 78: 45-50.

Zhang H, Park Y, Wu J, *et al.* Role of TNF- $\alpha$  in vascular dysfunction. *Clin Sci* 2009; 116: 219-230.

Zhang J, DeFelice AF, Hanig JP, Colastky T. Biomarkers of endothelial cell activation serve as potential surrogate markers for drug-induced vascular injury. *Toxicol Pathol* 2010; 38: 856-871.

Zhou L, Wang H-F, Ren H-G, *et al.* Bcl-2 dependent upregulation of autophagy by sequestosome 1 / p62 in vitro. *Acta Pharmacologica Sinica* 2013; 34: 651-656.

Zhou M, Gu L, Zhu N, *et al.* Transfection of a dominant-negative mutant NF- $\kappa$ B inhibitor (I $\kappa$ Bm) represses p53-dependent apoptosis in acute lymphoblastic leukemia cells: interaction of I $\kappa$ Bm and p53. *Oncogene* 2003; 22: 8173-8144.

Ziegler ME, Souda P, Jin Y-P, *et al.* Characterization of the endothelial cell cytoskeleton following HLA Class I ligation. *PLoS ONE* 2012; 7: e29472. doi:10.1371/journal.pone.0029472.

Zivkovic V, Djuric D, Turjacanin- Pantelic D, *et al.* The effects of cyclooxygenase and nitric oxide synthase inhibition on cardiodynamic parameters and coronary flow in isolated rat hearts. *Exp Clin Cardiol* 2013; 18: e102-e110.

Zong W-X, Edelstein LC, Chen C, *et al.* The prosurvival Bcl-2 homolog Bfl-1/A1 is a direct transcriptional target of NF- $\kappa$ B that blocks TNF- $\alpha$ -induced apoptosis. *Genes Dev* 1999; 13: 382-387.

Zotti T, Scudiero I, Settembre P, *et al.* TRAF-6-mediated ubiquitination of Nemo requires P62/ Sequestosome. *Molecular Immunology* 2014; 58: 27-31.

Zou M-H, Shi C, Cohen RA. Oxidation of the zinc-thiolate complex and uncoupling of endothelial nitric oxide synthase by peroxynitrite. *J Clin Invest* 2002; 109: 817-826.